



# Twin Rods

## Reducing the gap

ROD DIAMETER + MATERIAL		AVAILABLE PITCH (+ GAP)									
		28/14	32/16	35/17	36/18	40/20	42/21	44/22	45/22	50/25	56/28
Ø 5	Stainless Steel		(11)			(15)	(16)			(20)	(23)
	Class C / B	(9)	(11)	(12)	(13)	(15)	(16)			(20)	
Ø 6	Stainless Steel	(8)	(10)	(11)	(12)	(14)		(16)	(16)		
	Fiber Glass	(8)	(10)	(11)	(12)	(14)	(15)	(16)	(16)	(19)	
	Fiber Glass Coated	(8)	(10)	(11)	(12)	(14)	(15)	(16)	(16)	(19)	
	Class C / B	(8)	(10)	(11)	(12)	(14)	(15)	(16)	(16)	(19)	
Ø 7	Stainless Steel	(7)	(9)		(11)	(13)	(14)			(18)	
	Class C	(7)	(9)	(10)	(11)	(13)	(14)	(15)	(15)	(18)	(21)
Ø 8	Stainless Steel	(6)		(9)	(10)	(12)	(13)	(14)		(17)	(20)
	Fiber Glass	(6)	(8)	(9)	(10)	(12)	(13)	(14)	(14)	(17)	(20)
	Class C	(6)	(8)	(9)	(10)	(12)	(13)	(14)	(14)	(17)	(20)
Ø 9	Stainless Steel		(7)			(11)				(16)	(19)
	Class C			(8)	(9)	(11)				(16)	(19)
Ø 10	Stainless Steel		(6)	(7)	(8)	(10)		(12)	(12)	(15)	(18)
	Fiber Glass		(6)	(7)	(8)	(10)		(12)	(12)	(15)	(18)
	Fiber Glass Coated		(6)	(7)	(8)	(10)		(12)	(12)	(15)	(18)
	Class C		(6)	(7)	(8)	(10)		(12)	(12)	(15)	(18)
	WELDED TWIN ROD BORON (A or B)		(6)	(7)	(8)	(9)	(10)	(12)	(12)	(15)	



  AVAILABLE / STOCK